ELSEVIER

Neuroscience Letters 237 (1997) 139–141

Neuroscience Letters

Author index to Volume 237

Aasly, J., see Bakken, I.J., 117
Aceves, J., see Floran, B., 1
Agresti, C., see De Marchis, S., 37
Aihara, M., see Tabuchi, S., 13
Altrup, U., see Wiemann, M., 101
Anton, F., see Geiss, A., 65
Atienza, M., Cantero, J.L., Gómez, C.M., The mismatch negativity component reveals the sensory memory during REM sleep in humans, 21
Atobe, Y., see Funakoshi, K., 129

Bakken, I.J., White, L.R., Aasly, J., Unsgård, G., Sonnewald, U., Lactate formation from [U-^{13}C]aspartate in cultured astrocytes: compartmentation of pyruvate metabolism, 117
Banks, D.A., see Hooper, K.C., 69
Barker, J.L., see Zhang, L., 41
Bauer, H.W., see Geiss, A., 65
Bianchi, M., Panerai, A.E., Formalin injection in the tail facilitates hindpaw withdrawal reflexes induced by thermal stimulation in the rat: effect of paracetamol, 89
Bitsch, A., Trostdorf, F., Brück, W., Schmidt, H., Fischer, F.R., Nau, R., Central nervous system TNFα-mRNA expression during rabbit experimental pneumococcal meningitis, 105
Blouin, J., see Vercher, J.-L., 109
Boers, J., see Gerrits, P.O., 125
Boller, F., see Dhenain, M., 85
Brück, W., see Bitsch, A., 105
Braak, E., see Schultz, C., 93
Braak, H., see Schultz, C., 93

Cantero, J.L., see Atienza, M., 21
Casida, J.E., see Tomizawa, M., 61
Cavaretta, I., see De Marchis, S., 37
Chang, Y.H., see Zhang, L., 41
Choi, N., see Zhang, L., 41
Cole, J., see Vercher, J.-L., 109
Cosimo Melcangi, R., see De Marchis, S., 37

Døving, K.B., see Johansson, D., 73
De Marchis, S., Cosimo Melcangi, R., Modena, C., Cavaretta, I., Peretto, P., Agresti, C., Fasolo, A., Identification of the glial cell types containing carnosine-related peptides in the rat brain, 37
Dhenain, M., Volk, A., Picq, J.-L., Perret, M., Boller, F., Michot, J.-L., Age dependence of the T2-weighted MRI signal in brain structures of a prosimian primate (*Microcebus murinus*), 85

Fasolo, A., see De Marchis, S., 37
Fischer, F.R., see Bitsch, A., 105
Floran, B., Floran, L., Sierra, A., Aceves, J., D2 receptor-mediated inhibition of GABA release by endogenous dopamine in the rat globus pallidus, 1
Floran, L., see Floran, B., 1
Funakoshi, K., Kadota, T., Atobe, Y., Goris, R.C., Kishida, R., NADPH-diaphorase activity in the vagal afferent pathway of the dogfish, *Triakis scyllia*, 129

Gómez, C.M., see Atienza, M., 21
Gauthier, G.M., see Vercher, J.-L., 109
Geiss, A., Varadi, E., Steinbach, K., Bauer, H.W., Anton, F., Psychoneuroimmunological correlates of persisting sciatic pain in patients who underwent discectomy, 65
George, A., see Sommer, C., 45
Gerrits, P.O., Boers, J., Holstege, G., The lumbar cord location of the motoneurons innervating psoas and iliacus muscles: a single and double labeling study in the female Syrian golden hamster, 125
Gibert, J.-M., see Versaux-Botteri, C., 9
Giorgi, O., see Zhang, L., 41
Goris, R.C., see Funakoshi, K., 129

Hökfelt, T., see Sten Shi, T.-J., 57
Hashimoto, N., see Sugino, T., 121
Hawkes, R., see Lannoo, M.J., 53
Hayakawa, M., see Imai, F., 49
Heinemann, A., Sattler, V., Jocic, M., Holzer, P., Inhibition of acid-induced hyperaemia in the rat stomach by endogenous NK2 receptor ligands, 133
Himeno, A., see Shimohira, I., 113
Ho, A., see Lucas, L.R., 25
Holmberg, K., see Sten Shi, T.-J., 57
Holstege, G., see Gerrits, P.O., 125
Holzer, P., see Heinemann, A., 133
Hooper, K.C., Banks, D.A., Stordahl, L.J., White, I.M., Rebec, G.V., Quinpirole inhibits striatal and excites pallidal neurons in freely moving rats, 69
Horikawa, J., see Kubota, M., 77
Hu, Q., see Zhang, L., 41
Huang, R.-L., see Tsai, Y.-F., 81

Imai, F., Sawada, M., Suzuki, H., Kiya, N., Hayakawa, M., Nagatsu, T., Marunouchi, T., Kanno, T., Migration activity of microglia and macrophages into rat brain, 49
Inoue, M., see Ueda, H., 136
Ishii, S., see Tabuchi, S., 13

Jocic, M., see Heinemann, A., 133

PII S0304-3940(97)00824-0

Johansson, D., Nilsson, G.E., Døving, K.B., Anoxic depression of light-evoked potentials in retina and optic tectum of crucian carp, 73
Kadota, T., see Funakoshi, K., 129
Kaneko, H., see Nakamura, T., 5
Kanno, T., see Imai, F., 49
Kikuchi, H., see Sugino, T., 121
Kishida, R., see Funakoshi, K., 129
Kitamura, Y., Shimohama, S., Ota, T., Matsuoka, Y., Nomura, Y., Taniguchi, T., Alteration of transcription factors NF-κB and STAT1 in Alzheimer's disease brains, 17
Kiya, N., see Imai, F., 49
Koda, H., see Mizumura, K., 29
Koppers, D., see Schultz, C., 93
Kreek, M.J., see Lucas, L.R., 25
Kubota, M., Sugimoto, S., Horikawa, J., Nasu, M., Taniguchi, I., Optical imaging of dynamic horizontal spread of excitation in rat auditory cortex slices, 77
Kumazawa, T., see Mizumura, K., 29
Kume, K., see Tabuchi, S., 13

Lannoo, M.J., Hawkes, R., A search for primitive Purkinje cells: zebrin II expression in sea lampreys (*Petromyzon marinus*), 53
Leah, J.D., see Redburn, J.L., 97
Lucas, L.R., Schlussman, S.D., Ho, A., McEwen, B.S., Kreek, M.J., Novelty-induced locomotor activity in Long–Evans rats pre- and post-chronic 'binge'-pattern cocaine treatment, 25

Ma, W., see Zhang, L., 41
Marunouchi, T., see Imai, F., 49
Matsuoka, Y., see Kitamura, Y., 17
McEwen, B.S., see Lucas, L.R., 25
Michot, J.-L., see Dhenain, M., 85
Mishina, M., see Tabuchi, S., 13
Mizumura, K., Koda, H., Kumazawa, T., Evidence that protein kinase C activation is involved in the excitatory and facilitatory effects of bradykinin on canine visceral nociceptors in vitro, 29
Modena, C., see De Marchis, S., 37

Nagatsu, T., see Imai, F., 49
Nakamura, T., Kaneko, H., Nishida, N., Direct measurement of the chloride concentration in newt olfactory receptors with the fluorescent probe, 5
Nasu, M., see Kubota, M., 77
Nau, R., see Bitsch, A., 105
Nguyen-Legros, J., see Versaux-Botteri, C., 9
Nilsson, G.E., see Johansson, D., 73
Nishi, M., see Ueda, H., 136
Nishida, N., see Nakamura, T., 5
Niwa, M., see Shimohira, I., 113
Nomura, Y., see Kitamura, Y., 17
Nozaki, K., see Sugino, T., 121

Ota, T., see Kitamura, Y., 17

Panerai, A.E., see Bianchi, M., 89
Peng, M.-T., see Tsai, Y.-F., 81
Peretto, P., see De Marchis, S., 37
Perret, M., see Dhenain, M., 85
Picq, J.-L., see Dhenain, M., 85
Poulain, D.A., see Trudeau, V.L., 33

Rebec, G.V., see Hooper, K.C., 69
Redburn, J.L., Leah, J.D., Accelerated breakdown and enhanced expression of c-Fos in the rat brain after noxious stimulation, 97
Rubinow, D.R., see Zhang, L., 41

Sattler, V., see Heinemann, A., 133
Sawada, M., see Imai, F., 49
Schlussman, S.D., see Lucas, L.R., 25
Schmidt, C., see Sommer, C., 45
Schmidt, H., see Bitsch, A., 105
Schultz, C., Koppers, D., Braak, H., Braak, E., Cytoskeletal alterations in the aged human neurohypophysis, 93
Shimizu, T., see Tabuchi, S., 13
Shimohama, S., see Kitamura, Y., 17
Shimohira, I., Tokuyama, S., Himeno, A., Niwa, M., Ueda, H., Characterization of nociceptin-stimulated in situ [^{35}S]GTPγS binding in comparison with opioid agonist-stimulated ones in brain regions of the mice, 113
Sierra, A., see Floran, B., 1
Sommer, C., Schmidt, C., George, A., Toyka, K.V., A metalloprotease-inhibitor reduces pain associated behavior in mice with experimental neuropathy, 45
Sonnewald, U., see Bakken, I.J., 117
Speckmann, E.-J., see Wiemann, M., 101
Steinbach, K., see Geiss, A., 65
Sten Shi, T.-J., Zhang, X., Holmberg, K., Xu, Z.-Q.D., Hökfelt, T., Expression and regulation of galanin-R2 receptors in rat primary sensory neurons: effect of axotomy and inflammation, 57
Stordahl, L.J., see Hooper, K.C., 69
Sugimoto, S., see Kubota, M., 77
Sugino, T., Nozaki, K., Tokime, T., Hashimoto, N., Kikuchi, H., 3-Nitropropionic acid induces poly(ADP-ribosyl)ation and apoptosis related gene expression in the striatum in vivo, 121
Suzuki, H., see Imai, F., 49

Tabuchi, S., Kume, K., Aihara, M., Ishii, S., Mishina, M., Shimizu, T., Lipid mediators modulate NMDA receptor currents in a *Xenopus* oocyte expression system, 13
Tai, M.-Y., see Tsai, Y.-F., 81
Takeshima, H., see Ueda, H., 136
Taniguchi, I., see Kubota, M., 77
Taniguchi, T., see Kitamura, Y., 17
Theodosis, D.T., see Trudeau, V.L., 33
Tokime, T., see Sugino, T., 121
Tokuyama, S., see Shimohira, I., 113
Tokuyama, S., see Ueda, H., 136
Tomizawa, M., Casida, J.E., [^{125}I]Azidonicotinoid photoaffinity labeling of insecticide-binding subunit of *Drosophila* nicotinic acetylcholine receptor, 61
Toyka, K.V., see Sommer, C., 45
Trostdorf, F., see Bitsch, A., 105
Trudeau, V.L., Theodosis, D.T., Poulain, D.A., Activin facilitates neuronal development in the rat amygdala, 33
Tsai, H.-W., see Tsai, Y.-F., 81
Tsai, Y.-F., Tsai, H.-W., Tai, M.-Y., Huang, R.-L., Peng, M.-T., Male sexual behavior is associated with LHRH neuron number in middle-aged rats, 81

Ueda, H., see Shimohira, I., 113
Ueda, H., Yamaguchi, T., Tokuyama, S., Inoue, M., Nishi, M., Takeshima, H., Partial loss of tolerance liability to morphine analgesia in mice lacking the nociceptin receptor gene, 136

Unsgård, G., see Bakken, I.J., 117

Varadi, E., see Geiss, A., 65
Vercher, J.-L., Gauthier, G.M., Cole, J., Blouin, J., Role of arm proprioception in calibrating the arm-eye temporal coordination, 109
Vernier, P., see Versaux-Botteri, C., 9
Versaux-Botteri, C., Gibert, J.-M., Nguyen-Legros, J., Vernier, P., Molecular identification of a dopamine D_{1b} receptor in bovine retinal pigment epithelium, 9
Volk, A., see Dhenain, M., 85

White, I.M., see Hooper, K.C., 69
White, L.R., see Bakken, I.J., 117
Wiemann, M., Altrup, U., Speckmann, E.-J., Epileptic neurons induce augmenting synaptic depolarizations in non-epileptic neurons (buccal ganglia, *Helix pomatia*), 101

Xing, G., see Zhang, L., 41
Xu, Z.-Q.D., see Sten Shi, T.-J., 57

Yamaguchi, T., see Ueda, H., 136

Zhang, L., Barker, J.L., Xing, G., Giorgi, O., Ma, W., Chang, Y.H., Hu, Q., Choi, N., Rubinow, D.R., 5-HT_{1A} receptor mRNA expressions differ in the embryonic spinal cord of male and female rats, 41
Zhang, X., see Sten Shi, T.-J., 57